





With a modest beginning in the trade and business in 2000, PROMIXCO has transformed itself into a conglomerate boasting 14 companies within its fold over time. These companies are now engaged in diverse areas of business, commerce, and industries. PROMIXCO has been consistently striving hard to become the market leader in hospital furniture, medical devices, pharmaceutical, agro-business, veterinary, fashion, furniture, engineering, and media industries. Indeed, in some of the areas, it acted as the pioneer and prime mover and is recognized as the leading brand. It excelled in quality, services, and commitment towards the stakeholders, and obtained and secured ISO, CE, and FDA certifications for its concerns. It tirelessly strived to equip a new breed of entrepreneurs in the import substitution medical equipment and devices sector. It played catalytic roles and worked with the government in recognizing and including medical device manufacturing in the National Industrial Policy 2022.

PROMIXCO is dedicated to delivering innovative and cutting-edge medical devices that revolutionize the health-care industry. It exercises the best endeavor to improve patient outcomes and enhance the quality of life across the globe in general and Bangladesh in particular.

I express my immense gratitude and heartfelt indebtedness to all the employees, government, bankers, and all other stockholders who have consistently been my source of encouragement and power throughout the long journey of PROMIXCO in becoming a trusted Group of Companies.

Mousumi Islam

Chairperson



A new era means new responsibilities, new possibilities, and new turning points. With the passage of just over two decades, PROMIXCO has turned out to be a leader in the domestic market and a modest player in the international sphere. The success story is the result of unparalleled and painstaking efforts from our visionary Chairperson, and numerous employees of the company who dedicated and invested their time and energy to grow the company to the towering heights. I strongly believe it is high time we take new steps to expand the horizons of our footprints into the wider marketplace overseas. These dreams could be a reality by harnessing and exploiting new technologies in manufacturing and distributing quality products at competitive prices. We at PROMIXCO will contribute and help make Bangladesh a smarter and prouder self-reliant economy in the comity of nations.

Samanta Islam Managning director

Research Partner



1801 N. Broad Street Philadelphia, PA 19122 United States www.temple.edu



3141 Chestnut St Philadelphia, PA 19104 United States www.drexel.edu

Production Line









Index

Renal Care
Examination and Surgical Gloves
Bath Controlling Product
Cardiovascular Devices
Emergency Devices
Medical Imaging Devices
Critical Care and Operation Disposables
Infusion Therapy
Vascular Access
PVC Tubing and Catheter
Syringe and Needle
Transfusion System
Blood and In vitro diagnostics (IVD)
Drainage and Urology
Urinary Surgery
Diagnostics
Gastroenterology



Renal Care

- Hemodialysis Machine
- Hollow Fiber Dialyzer
- Blood Tubing Set for Hemodialysis
- Disposable A.V. Fistula Needle Sets
- Components
- Fluid supplementary tubing sets for blood purification
- Hemodialysis Bicarbonate Cartridge
- Disposable Hemodialysis care Kits
- Priming Bag
- Transducer Protector
- Identification Band
- Blood Purification System
- Haemodialysis Catheter
- Blood and Fluid Warmer

Hemodialysis Machine

DESCRIPTION

- Dual-stage endotoxin filtration
- Reduce complications and ensure the quality of treatment to improve patient survival significantly

User-friendly

- 12.1-inch LCD touch screen
- Multi-language operator interface
- Automated adjustment of fluid level in the venous bubble catcher effectively preventing mbolism to reduce dialysis risk

Safe and efficient

- Mandatory self-test of hydraulic circuit, blood circuit and monitoring system
- Dual monitoring of venous line based on optics and ultrasound
- Feedback control of dialysate configuration to ensure accurate ion concentration
- Feedback control of volume balance to enable precise ultrafiltration

Visualized and smart

- Explicit display of fluid path to show the operation of compartments
- $\bullet \ \text{Support presetting of switch timers and disinfection, with a disinfection log created} \\$
- Dynamic tracking and monitoring of AP, VP and TMP
- Therapy log for future reference

Highly compatible

- Compatible with various brands of dialyzers
- Compatible with all kinds of dialysis powders and bloodlines





Hollow Fiber Dialyzer

Dialyzer Description:

The intend use of Dialysis is the treatment of acute or chronic renal failure

Remove the harmful substances in the blood, such as urea, creatinine, ß2-microglobulin and extra water

Dialyzer Features:

- * BPA Free
- * Brilliant Biocompatibility
- * Continuous toxins clearance capacity
- * Good clearance rate of middle&large molecules
- * Lower albumin loss
- * High β2-microglobulin clearance rate



Blood Tubing Set for Hemodialysis

Features:

- * Medical grade PVC Tubing.
- * Various diameter and type for different machines is available.
- * Pump Segment for Conventional and high flow rates.
- * It is easy to handle and kink-resistant tubing.
- * Non-DEHP, Non-pyrogenic and Non-toxic.

Specification:

- * Pump Segment: 6.6x9.8mm & 8x12mm
- * Chamber: 22 / 30mm
- * Main Tube : 4.6x6.8mm
- * Accessory: Pillow, Transducer Protector, IV Set,
 - Drainage Bag one way, two way
- * Standard Packing: 24sets /carton



Disposable A.V. Fistula Needle Sets

Features:

- * Superior sharpness needle.
- * Wing is designed to be easily hold tight and firm.
- * Non-DEHP tubing, Non-pyrogenic and Non-toxic.

Specification:

- * Thin wall and siliconized needle Pliable and extremely elastic tubing Oval back eye.
- * Color coded wings is available for Luer Connector with finger grip Available in twin packs.
- * Superior needle sharpress and colorful Clamp are available.



Fluid supplementary tubing sets for blood purification



- * Anti-fatigue pump tube keeps same blood flow in continuous 50 hours.
- * Smooth tubing inwall avoid blood coagulation and bubble.
- * Screw type connection component makes the different sizes of tubing more close and sealed.
- * EtO gas sterilization.
- * Spike, pillow, drain bag, and TP can extra put in according to customer's request.



Hemodialysis Bicarbonate Cartridge



- * Ergonomic design of cartridge containers
- * Use of high-quality starting materials in injection moulding production
- * Optimized packaging design for storing and transporting
- * Environmentally friendly disposal because a uniform type of material

Disposable Hemodialysis care Kits



- * Dual-D lumen
- Single dilator with gradually varied O.D.
- Rotatable suture hub
- Patented connection design
- Flexible polyurethane material
- Latex-free

Priming Bag

Product Specification:

* Usage/: Hospital

* Brand: PROMIXCO HEALTHCARE LIMITED

* Capacity: 2 Litre, 2.5 Litre, 3.25 Litre, 5 Litre



Transducer Protector






- * Manufactured in medical grade PVC.
- * Keep the blood side of the circuit separated from the machine side, and to prevent contamination of the machine.
- * Incorporate hydrophobic membrane (0.2µm)
- * Provided with a 6% luer taper
- * Steriled in EO gas.

Identification Band

- These Wristbands are used in hospitals for patient Identification.
- Made in vinyl material.
- Waterproof, lightweight, soft, non-stretchable, tamper proof.
- Have a plastic lock at the ends to have a snap closure.
- Available size: Adult (25 x 2.5 cm) & Child (17 x 1.9 cm)



Blood Purification System

- * Automatic adjustment function of dialysate sodium concentration.
- * The effective protection of the degassing system for bicarbonate.
- * Personalized Dialysis
- * Accurate UF system
- * Adopted closed volume balance chamber, accurate ultrafiltration dehydration control;
- * Support isolated UF, can modify the executed time and UF volume based on requirement while isolated UF.
- * Automatic self-test when turn on the machine
- * Air Detection
- * With both level and air bubble detection
- * Blood leakage monitor
- * Red and green photoelectric detection
- * Disinfection and clean





Haemodialysis Catheter

- * ndwelling catheter made of specially formulated Polyurethane ensures smooth catheter insertion and better bio-compatibility
- * Catheter provide desired strength during insertion, softens at body temperature, thus reducing the risk of
- * vascular trauma, kink free Nitinol Guide Wire prevents the vessel perforation and also provide good torque to ensure firm insertion
- * Radio Opaque catheter tip with clear garduation marking
- * Y-shape introducer needle with non-return valve
- * User friendly guide wire dispenser
- * S ilicon injection caps





Haemodialysis Catheter

Features:

* Temperature setting: 33 - 41°C

* Power supply: a.c.100~240V/50~60Hz

* Power consumption: Max. 180VA

* Type of protection against electric shock: Class I

* Degree of protection against electric shock: BF Applied part; Defibrillation-protected

* Degree of protection against ingress of liquids: IPX2

* Temperature accuracy: ±1.0°C

* Overheat protection: 42°C/43°C

* Low temperature alarm: 32°C

* Warming up time: From 20°C to 36°C approx.2 min.

* Operating mode: Continuous

* Dimension (W*D*H: 200×130×250mm

* Net Weight: 2.3kg



Examination and Surgical Gloves

- Latex Examination Gloves-Powder Free, 5g
- Latex Examination Gloves-Powdered, 50
- Nitrile Examination Gloves-Powder Free, 3.5g
- Antimicrobial Nitrile Examination Gloves -Powder-free,3.5g
- Antimicrobial Nitrile Examination Gloves, Powder-free,4g
- Latex Surgical Gloves-Powdered, 5g
- Later Surgical Gloves-Powdered Free,5g
- Vinyl Non-medical Examination Gloves, 5g

Latex Examination Gloves-Powder Free, 5g

Product Description:

- * Latex Free
- * Examination Grade
- * 5 mil
- * Non-Sterile
- * Ambidextrous
- * Powder Free
- * Meets FDA CFR Title 21 Indirect Food Additive Regulations Part 174-178



Latex Examination Gloves-Powder Free, 5g

Product Description:

Material: Nitrile

Brand: PROMIXCO HEALTHCARE LIMITED

Size: Medium (Pack of 100)

Color: Blue

Special Feature: Latex Free, Disposable



Antimicrobial Nitrile Examination Gloves -Powder-free, 3.5g

Product Description:

Usage: Household Electrical Appliances, Cleaning

Material: T/C Yarn

Function: Anti-scratch, Heat Insulation, Anti-Static

Disposable: Disposable

Outer Material: Nitrile



Antimicrobial Nitrile Examination Gloves, Powder-free,4g

Product Description:

Maxwell Sterile Powdered Latex Surgical Gloves

Made in Bangladesh

Natural Rubber Latex

Size: 6.5/7/7.5

Powdered with absorbable dusting powder.

Anatomical as well as Smooth Surface.

Manufactured in accordance with BS EN 455-1,2,3 & 4/ ASTM D-3577/ISO 10282

100% Electronically Tested



Bath Controlling Product

- TrustMee Condom
- Lubricant
- Probe Cover

TrustMee Condom

Product Description:

Product: Sensation SD(Strawberry)

Texture: Extra Sharp Dotted

Fragrant: Strawberry, Chocolate, apple

The extra sharp dots allow more friction and the strawberry flavor

sets a pleasurable during intercourse

The extra sharp dots with strawberry flavor ensure more pleasure and

create a pleasant ambience during the time of intercourse.



Lubricant

Product Description:

- * 100% safe and secure, Luscious cherry flavored intimate lubricant gel
- * Play very cherry feels smooth, tastes sweet and is deliciously fruity
- * Eases vaginal dryness & intimate discomfort whilst creating an exotic and adventurous experience for both of you
- * Water Soluble, easy to use and to wash off and it won't stain
- * Totally sugar free, Can be used anywhere anywhere!





Probe Cover

Features:

- 1. Protect the ear. The head of the earmuff is made of soft plastic and has elasticity to protect the child's soft eardrum.
- 2. Protect the probe, the ear will be attached to the earmuff, not the probe, so when you wipe, less contact with the probe, prolong the ife of the ear thermometer.
- 3. Safety, different people use different earmuffs to reduce cross-infection.

Can be used 10 times under one earmuff.

But the substitution suggests that changing the earmuffs and the toothbrush is a matter of personal hygiene.

It is recommended to buy 1-2 more boxes because the earmuffs have no shelf life.

This product is suitable for Braun ear thermometers.

Specification:

Net weight:15g

Size:7.6*3*2.8



Cardiovascular Devices

- Multi-parameter Cardiac Monitor
- Patient Monitor
- Electrocardiograph
- Fetal monitor
- Treadmill
- Exercise Tolerance Test (ETT)
- Pulse Oximeter
- Recumbent Bike
- Heart-Lung Bypass Machines
- Artificial lung
- Stress Test Systems
- Intra-Aortic Balloon Pumps
- Cardiovascular angioplasty
- Prosthetic (artificial) heart valves
- Implantable cardioverter defibrillators (ICDs)
- Automated external defibrillators (AEDs)

Multi-parameter Cardiac Monitor

- * Advance patient Manage: gender, full name, ID no., room no., bed no., weight, height, blood type, paced or not, remakes;
- * Multi-parameter board: Separated parameter board, main board, ECG board, SPO2 board, and NIBP board are independent;
- * nterface: Color, layout of each parameters can be set up by user need, bed to bed view display(optional);
- * Fanless: Use special fanless cooling technology in the device to provide user, quiet environment;
- * Standby: Unique standby mode for energy saving and suspend monitoring;
- * Time delay: Time delay switch-off function to save data when monitor turn off suddenly;
- * Easy software update: Users can update monitor software by themselves;
- * Storage: external SD card slot enables memory extension(optional);
- * Data transfer: USB port to allow to transfer patient data to a PC (optional);
- * Other optional: Touch Screen, Printer, Wall amount, VGA connect





Multi-parameter Cardiac Monitor

Features:

* 7-inch high-resolution color TET LCD display.

Smaller, thinner and lighter in design, convenient and portable for users.

Real-time S-T segment analysis, pacemaker detection.

Various interfaces: standard screen, trend screen, oxy CRG screen, NIBP list screen, big front screen.

3-level audio/visual alarms.

Efficient resistance to interference of defibrillator and HF knife.

Up to 400 groups NIBP list, 6000seconds, ECG waveform recall, 60 alarm event records recall,

7-day trend chart in storage.

Built-in rechargeable lithium battery, 2-hour working capability.

Wireless central monitoring system applicable to ICU/CCU/OR



Multi-parameter Cardiac Monitor



- * 12 inch high-resolution color screen
- * Exquisite design suitable to moving operation
- * Operation interface: Standard, Trend Screen, oxyCRG Screen, NIBP List, Big front Screen
- * Freeze instant waveform for real time S-T segment analysis, pacemaker detection
- * Storage for up to 400 groups of NIBP list, 60 alarm events records recall
- * Built-in rechargeable lithium battery with 4hours working capacity
- * Capture dynamic wave forms
- * Patient info input management function



Electrocardiograph

- * 12-Lead simultaneous acquisition, virtual full Alphanumeric keyboard
- Comprehensive filters&anti-noise technology
- Real-time ECG waveforms freezing and review
- High accuracy in automatic measurements and interpretation
- Long RR sampling time (60/180s)
- Large internal capacity of up to 5000 files
- Wide connectivity for LAN, USB, RS232
- Support various output formats to a USB drive
- Support direct connection to laser printer, name card reader, barcode scanner
- Compatible with Carewell Al-powered ECG platform
- •1112M supports WIFI&LAN, 1112 supports WIFI, 1112L is a standalone version



Fetal monitor

Features:

* 12 foldable wide color screen
 Highly sensitive, waterproof transducer
 Signal Overlap Verification
 24-hour backup memory
 Additional 60-hour patient info storage
 Central Monitoring System Compatibility
 Intrapartum Monitoring (DECG/IUP) (optional)



Treadmill

- * White LED
- * Dot Matrix Screen
- * 36 Preset Programs
- * 3 User Programs
- * Handle Pulse
- * Body Fat Function
- * Quick Speed & Incline Buttons On The Console





Exercise Tolerance Test (ETT)

- * Single piece wireless transmitter and receiver
- * Tredmill (for monitoring electrical activity of the heart)
- * 12 lead ECG data
- * Auto comparison of continuous ST trends with reference complexes
- * Flexible configuration, user friendly interface
- * Trend graphs display and print
- * Filter added reduces noise and ECG signal base line



Pulse Oximeter

- Accurate: The Lepu Heartcare Fingertip Pulse Oximeter can accurately measure your SpO2 pulse rate and pulse strength.
- Easy to use: SpO2, PR, Pl and bar graphs can be displayed on the large digital OLED colour display
- Intelligent: Automatically power off within 8 seconds when no finger is detected. Low power indicator.
- 4 Kinds of colour available (Blue, Green, Cyan and Yellow)



Recumbent Bike

- * With enhanced Bluetooth connectivity, users can set, track and monitor progress with popular app-based tracking tools
- * Travel through 200+ stunning virtual courses at your own speed (Explore the World® subscription required)
- * Discover 1000+ structured workouts and 80+ virtual routes with Zwift® app (Zwift® app subscription not included)
- * 5.5" LCD offers 13 workout programs (LCD screen is not backlit)
- * 16 levels of magnetic resistance for a wide range of workout intensity options
- * Telemetry heart rate enabled and ergonomically placed grip heart rate for a relaxed riding position when using a heart rate program
- * Thick padded contoured seat with large vented back
- * Weighted strapped pedals
- * High speed, high inertia perimeter weighted flywheel for a smooth and quiet workout





Heart-Lung Bypass Machines

- * It has a spill-proof base
- * Service and maintenance along with spare parts are available readily with affordable cost
- * It works with our environmental humidity temperature and a voltage fluctuation
- * 100% assurance for any emergency breakdown will be attended to within 48 hours time





Stress Test Systems

- * Examine historical ECG data throughout the exam with real-time full disclosure
- * Optional wireless data acquisition increases work space flexibility
- * Label, store, print & review events on the fly and include them in final report
- * Source Consistency Filter designed to remove noise and maintain ECG integrity
- * Spirometry
- * Ambulatory Holter Monitoring
- * Wireless transmission via bluetooth of real time 12 lead ECG data from patient to acquisition Rs.30,000 extra
- * Customer needs to buy Computer, Printer, UPS 30 min backup, Servo Stabilizer 3.5KVA and Computer Trolley



Intra-Aortic Balloon Pumps

- * Examine historical ECG data throughout the exam with real-time full disclosure
- * Optional wireless data acquisition increases work space flexibility
- * Label, store, print & review events on the fly and include them in final report
- * Source Consistency Filter designed to remove noise and maintain ECG integrity
- * Spirometry
- * Ambulatory Holter Monitoring
- * Wireless transmission via bluetooth of real time 12 lead ECG data from patient to acquisition Rs.30,000 extra
- * Customer needs to buy Computer, Printer, UPS 30 min backup, Servo Stabilizer 3.5KVA and Computer Trolley





Cardiovascular angioplasty

- * Fluorescence clock face for clearer display.
- Smooth fine adjustment for accurate inflation.
- Barrier screw pivot provides precise pressure placement.
- The internal multi-buckle structure ensures more secure lock.
- Ergonomic grip fits comfortably in either hand.
- Petal-shaped handle ensures torque control without slipping.



Prosthetic (artificial) heart valves

Product Description

While mechanical valves have been used for heart valve replacement for nearly 50 years, the Medtronic Open Pivot™ platform brings a fundamentally different design to bileaflet mechanical valves.


The Medtronic Open Pivot AP360®, AP®, and Standard valves provide exceptional implantability, performance, and durability.1-3





Prosthetic (artificial) heart valves

- * Improving AF Management
- * Avoiding Inappropriate Shocks
- * Enhancing Product Quality





Automated external defibrillators (AEDs)

Product Specification

Fully automatic, administer the shock automatically when needed.

Simple to operate, even non-medical personnel can effectively save lives.

Uses advanced biphasic technology.

Technical Specification

Lighted On/Off Button

Biphasic Waveform

Voice Prompt

Metronome CPR Pacing

Indicators

Charge Time <6 Seconds

IP54 (Splash Proof, Dust Protected)

Self Check (Daily, Weekly, Monthly, Quarterly Circuitry Tests)

Energy (Adult: 150J, Child/Infant: 50J) (Nominal into 50 Ohm load)



Emergency Devices

- Defibrillator
- Electrosurgical Units
- ECG Machine
- Fluid warmers
- Infusion syringes

Defibrillator

- * Biphasic defibrillator
- * 7-inch color TFT screen
- * User selectable energy levels from 2J to 300J in manual defibrillation mode
- * Synchronized cardioversion
- * Remote energy selection and charging through paddles
- * 24 events recording
- * Minimum 100 discharge of 300J with fully-charged new battery
- * Optional enhancement: AED, NIBP, MASIMO SPO2, either pacing or capnography (CO2)







Electrosurgical Units

- Auto bipolar
- Spray coagulation
- Controlled by hand & foot
- Switching power supply adopted
- Simple & compact design for operating room
- Built-in impedance monitoring system
- Triple mode (Cutting, Coagulation & Bipolar mode can be used at the same time)





ECG Machine

- -12 channel ECG Machine/ECG Resting/Stress test/VCG
- -CE&FDA Approved 12 Channel Portable Digital ECG/EKG
- -Below is the parameter:
- -12.1 inch high-resolution folding up touch-screen
- -Sleep/wake up mode for saving energy and extending LCD & battery life
- -300 ECG internal memory, USB Interface for data transmission
- -122 kinds of arrhythmia analysis
- -Last 120 seconds 12-leads waveforms reviewable and recordable
- -Waveforms and auto-diagnosis results preview before printing
- -Manual/Auto/ Rhythm working modes selectable



Fluid warmers

- -This particular model includes the following features:
- -Highlighted LED display of temperature
- -Temperature range: between 28 degrees and 42 degrees, with a 0.5 degree variation
- -Working mode: continuous
- -Waterproof class: IP64
- -Infrared detection function can work continuously for 3-6 hours
- -Audible and visual alarm function





Infusion syringes

- Built-in multiple brands of syringes, convenient for clinical applications
- Large & colorful LCD displaying detailed parameters
- 8 levels of occlusion pressure settings for more accurate detection
- Applicable for 2ml, 5ml, 10ml, 20ml, 30ml, 50/60 ml syringes
- Anti-reverse function makes the infusion more reliable
- Separate WFI module, support wireless communication
- Stackabl



Medical Imaging Devices

- Ultrasound Machine
- 4D Color Doppler
- C-arm, Flat Panel Detector, Spine Surgical, Vascular, Mobile
- High Frequency Digital mobile C-arm
- Mobile Digital Radiography
- Vehicle Mounted Digital Radiography
- Dynamic Digital Radiography
- Dynamic Digital Motion X-ray U-arm
- High-Frequency Digital Radiography
- Digital Radiography & Fluoroscopy
- Veterinary Surgical C-arm
- Veterinary Digital Radiography
- Digital Mammography System

Ultrasound Machine

SPECIALTIES

- -Anesthesiology
- -Emergency Medicine
- -Endocrinology
- -Family Practice
- -Gastroenterology
- -Internal Medicine
- -Nephrology
- -Neurology
- -Orthopedics
- -Otorhinolaryngology
- -Pain Management
- -Podiatry
- -Rheumatology
- -Surgery
- -Urology
- -Vascular



Ultrasound Machine

- -15 inch high resolution medical monitor
- -8.4 inch anti-dazzle touch screen
- -Rotated console and foldable monitor
- -Hidden draw-out keyboard
- -Proposed USB ports
- -Friendly transducer bracket design
- -Standard configured gel heating cup
- -Support multiple data transmission interface





Ultrasound Machine

Features:

-Detector technology: CMOS flat detector

-Input field (active field; full format): 12" x 12" (30 x 30 cm)

-Image resolution: 1952 x 1952 pixels

-Power management

• Peak power 25 kW

• Energy Storage Unit (ESU)3

Active cooling

-Orbital movement 200°

-Immersion depth: 28.6" (72.6 cm)

-Free space: 36.3" (92.4 cm)



High Frequency Digital mobile C-arm

Features:

-With a small and beautiful appearance, and easy to operate

-Clinical Video system with high performance,

7 images storage volume, and two 14"high-resolution monitors

-Automatically track fluoroscopy to make the image brightness and clearness optimum

-Automatically store the last image of fluoroscopy to advantage diagnosis

-With a high-quality knockdown X-ray generator to reduce radiation





Mobile Digital Radiography

- 50kW max generator ensures high image quality.
- Largest touch screen display allows HD image preview and smooth operator-machine interaction.
- Ultra-narrow body, easy positioning in small space.
- Electromagnetic unlocking buttons & multi-angle positionings adapting to all APRs.
- Intelligent dual motors and micro-inch mover helps the equipment move freely.



Vehicle Mounted Digital Radiography

- -High-quality hardware configuration
- Siemens tube, high pressure system
- -Double column system
- -Original imported Canon digital tablet
- Intelligent software
- -Rich clinical application software
- Introduction to advanced software applications"





Dynamic Digital Radiography

- -All-in-one digital radiography system
- -Fully-automatic diagnostic system with motorized movement and pre-programmed data for automatic positioning
- -Capacitor Assisted 52 kW generator available
- -Automatic stitching function
- -Touch screen controller at system
- -Automatic X-ray collimation and system positioning
- -Mobile patient table, remote control
- -Safety sensors and AEC
- -AI-Based Diagnostic Assistance, Bone Suppression, Scatter Reduction
- -Detector type: 17x17, wired/wireless, fixed/removable



Dynamic Digital Motion X-ray U-arm

Features:

- -The KDR Primary fits into a standard, 8-foot ceiling room
- -Convenient swivel arm provides a wide range of motion,

for flexibility and precision in positioning

- -Detector, Tube and Remote Controls
- -Optional 3 knob collimator
- -Mobile table



High-Frequency Digital Radiography

Features:

- -Easy to use
- -Effective results
- -Reliable

Other details:

- -Equipped with double diagnostic table
- -Single direct bridge full-wave commutation
- -X-ray tube capacity protection & anode starting-up protection



Digital Radiography & Fluoroscopy

- Applicable for all body parts photography
- Applicable for all body parts fluoroscopy check
- Gastrointenstinal tract radiography, salpingography.
- Obtain high-definition images and accurately capture lesions during fluoroscopy, avoiding missed diagnoses or misdiagnosis caused by blind shots.
- Improve workflow efficiency.
- Instant exposure, low noise
- Low dose, less radiation harm
- Intelligent dose monitor system Friendly to user's health



Veterinary Digital Radiography

- High resolution grid for digital radiography: 200lpi, 10:1 ratio
- Movable 4-way Tabletop
- X-Ray Tube: E7242X
- Toshiba (Focal spot size: 0.6/1.5mm, Anode heat storage: max 200kHU)
- 26ft (8m) Claymount High Voltage Cables
- GXR High-Frequency X-Ray Generator with excellent performance
- Manual Collimator with 30 seconds lamp timer
- Convenient Service Access
- High performance PC workstation with 20" LCD monitor
- Additional diagnostic 23" LCD monitor
- Mini-PACS software: Server & Diewer
- Buckle fastener for animal holding
- Automatic APR selection by registration of projection step in imaging software (VXR-9M)
- Provide generator control function on imaging software (VXR-9M)





Digital Mammography System

- -Full Field Digital Mammography with Flat Panel Detector(FPD).
- -AEC mode for automatic exposure technique.
- -Anatomical Programming Radiography (APR) for different breast sizes.
- -Auto release of breast after exposure.
- -Integra X integrated system for exposure & image parameters control.
- -Automatic filter selection as per APR view.
- -Motorized gantry movement for quicker positioning and operator convenience.
- -Stereotactic Biopsy Compatible.
- -DICOM 3.0 Compatible.



Critical Care and Operation Disposables

- Triple Lumen CVC Kit
- Closed Suction Set
- Bacterial Filter
- Heat Moisture Exchange Filter
- Breathing Circuit
- Cuffed with E.T. Tube (Pvc) special Sterile.
- Suction Catheter with Control Valve (Sterile)
- Disposable Foley's Catheter, silicon-coated
- Re-Breathing Bag. Fine Rubber made.
- T-Piece
- Ventilator Circuit
- Anesthesia Mask
- Surgical Connecting Tube & Suction Tube
- Tracheostomy Tube
- Nasopharyngeal
- LMA Mask
- Yankaue

- ECG Electrodes Foam
- Electro Gel
- Electro Pencil
- Mucus Extractor
- Critical Care & Operation Disposables
- Closed Suction Set
- Bladeless Trocar
- Transducer Protector
- Heat Moisture Exchange Filter
- Breathing Circuit
- Cuffed with E.T. Tube (Pvc) special Sterile
- Suction Catheter with Control Valve (Sterile)
- Disposable Foley's Catheter, silicon-coated
- Re-Breathing Bag. Fine Rubber made
- T-Piece
- Ventilator Circuit

- Anesthesia Mask
- Nasopharyngeal
- LMA Mask
- Extension Tubing
- Yank Auer
- ECG Electrodes Foam
- Electro Gel
- Electro Tip Cleaner
- Electro Pencil
- Pica Spike
- Mucus Extractor
- Wei Nasal Jet (WNJ)
- Micro laryngeal Tube
- Dual Seal Laryngeal Mask with Gastric Access
- Qsafe Laryngeal Mask Device
- Oropharyngeal Airway
- Guedel Airway

Triple Lumen CVC Kit

Product Features

- -Medical-grade Polyurethane material provides biocompatible and flexible catheter and minimizes risk of thrombophlebities, irritation and intravenous damage.
- -Available in Single, Double, Triple central venous catheter and Quad-Lumen extensions, suitable for various clinical needs.
- -Guidewire made of high quality Stainless steel or Nitiol.
- -Protective heparin caps prevent ingress of microbial agents.
- -Depth markings ensure accurate placement of central venous catheter in subclavian or jugular veins.
- -Valvular Needle (Y-Needle) and Hollow Syringe allow ease of guide wire insertion as per clinician preference.
- -The soft blue tip provide less harm to the vessel, make it easier to enter into the puncture point.
- -Luer Taper connector effectively preventing the product from infection, leakage and shedding.
- -The transparent extension tubes with detachable clamps and printed marks, allow to maintain the catheter away from the insertion site, reduce the risk of air embolism.
- -Non-pyrogenic, sterilized by Ethylene Oxide.





Closed Suction Set

Product Features

-Reliable protection against accidental vacuum activation with a special locking button.

- -The system is sterile and for single use.
- -Latex-free to minimize the risk of allergic reactions.
- -Freely rotating connectors with a double ball-and-socket design prevent twisting of the breathing tubes.
- -The FoolProof closed suction system comes with a corrugated connector that provides additional flexibility to the breathing circuit.
- -Comes with 7 different colored stickers to mark the day of removal or replacement of the system.
- -The system size can be easily identified by the color-coded vacuum control button.
- -The 72-hour closed suction system has a locking access valve to the patient, allowing for completely sealed conditions during catheter suctioning.
- -The pediatric closed suction system comes with Y-shaped connectors of different diameters.



Bacterial Filter

Product Features

-H.M.E's are passive humidification systems that retain heat and moisture from the patient's exhaled gas.

-Provides effective protection against various types of particles including bacteria, viruses, and moisture droplets.

Provided with high efficiency electrostatic filters to address concerns associated with ventilated patients.

The filters help protect the patient, the equipment, and the breathing circuit from contamination.

Enhances particle capture efficiency and give a low and stable breathing resistance even when wet.

H.M.E.F's are designed according to "ISO" standards to help facilitate connection to different ventilators and anesthesia systems.

Sterile, single use device, individually packed.





Heat Moisture Exchange Filter

Product Features

- -Efficient heat and moisture recovery
- -ISO standard tapered ends to assure a consistent leak-free seal




Breathing Circuit

- -10 Foot CO2 line with two male connectors
- -Elbow with capped gas sampling port
- -Mask, adult flexible dome with top valve




Cuffed with E.T. Tube (Pvc) special Sterile.

- -10 Foot CO2 line with two male connectors
- -Elbow with capped gas sampling port
- -Mask, adult flexible dome with top valve



Suction Catheter with Control Valve (Sterile)

- Made from Non-toxic Non-irritant medical grade PVC,DEHP-FREE optional
- Suitable for removal of secretion from trachea and bronchial tubes
- Rounded open tip with two elliptical eyes
- Smooth with rounded outer surface finish for minimal tissue irritation during intubation
- Provided with "T" type vacuum control valve with thumb control for easy maneuvering
- Soft, Frosted and Kink Resistant Catheter
- Provide with X-ray visible radio-opaque line
- OEM available



Disposable Foley's Catheter, silicon-coated

Product Features

-Catheter are made from Natural Latex Rubber.

Siliconised smooth surface for non traumatic intubation.

Distal end is coned with super smooth eyes proportional to each other to provide non traumatic intubation.

Provided with ultra thin, highly elastic Balloon.

Hard Non Return Valve ensures trouble free inflation and deflation of Balloon.

Also available in 100% Silicon elastomer.

For sizes 16 to 26 Fr, smaller balloon capacity is also available on customer requirement.



Re-Breathing Bag. Fine Rubber made.

- -Catheter are made from Natural Latex Rubber.
- -Siliconised smooth surface for non traumatic intubation.
- -Distal end is coned with super smooth eyes proportional to each other to provide non traumatic intubation.
- -Provided with ultra thin, highly elastic Balloon.
- -Hard Non Return Valve ensures trouble free inflation and deflation of Balloon.
- -Also available in 100% Silicon elastomer.
- -For sizes 16 to 26 Fr, smaller balloon capacity is also available on customer requirement.





T-Piece

- -22 mm OD X 22 mm ID
- -Extended universal port accomodates both plastic and metal MDI canisters
- -Dual-spray nozzle directs plumes in both directions, simultaneously
- -MDI canister stem is inserted directly into port of MDI adaptor
- -ethered cap preserves closed circuit integrity





Ventilator Circuit

- -22mm corrugated tube of 1.6 m length
- -22mm male and female circuit adaptors x 2
- -One water trap
- -Safety cap
- -Water trap with capacity of 50ml approx.



Anesthesia Mask

- -Anatomically Designed
- -Safe & Comfortable
- -With Inflation Valve
- -Available Sizes: 0, 1, 2, 3, 4, 5



Surgical Connecting Tube & Suction Tube

- -Rigid, angled, one-piece design, made from clear, medical grade PVC.
- -Edges are smooth and clean. It has a bulbous tip and ribbed at proximal end to provide perfect grip.
- -Clear tips permit visual monitoring of suction fluids.
- -Disposable, Sterile, single use.






Tracheostomy Tube

- Low-pressure, high-capacity, ultra-thin-walled balloon maintains an effective seal under low pressure, reducing tracheal mucosal damage during ventilation of various anesthetic devices.
- Rounded intubation core and intubation tube at the curved tip fit human trachea structure for smooth insertion and placement.
- The percutaneous tracheostomy tube made of high elastic medical materials can be automatically shaped at body temperature to fit the trachea.
- Soft wings and extremely flexible standard connectors ensure catheter fixation and patient comfort and safety.
- Ergonomic design provides secure positioning and minimizes tube movement.
- Tapered arc tip is designed to help placement and removal of both the tracheostomy tube and inner cannula with minimal disruption to the patient's airway.
- Permanently attached 15mm connector on the tube that assist connection to anesthetic and ventilator breathing circuits.
- Radiopaque material making the tube entirely x-ray visible for correct tube positioning.



Nasopharyngeal

- -Used to secure and open airways for patients in case of emergencies
- -Provided with rotatable flange for easy securing and pulling out.
- -Made from soft, non-irritant medical grade PVC
- -Anatomically designed with smooth round edges, thin wall and kink resistance for maximum patient comfort
- -E.T.O. sterile & pyrogen free. For single use only



LMA Mask



- -Premium quality high-end silicone construction with an unbeatable value.
- -Smoothly integrated design offering the optimum feel and a superb seal with less risk of patient trauma.
- -Colour coded pilot balloons clearly marked with size makes selection easy.
- -Clearly marked inflation volume and guidelines for fast and easy insertion.
- -Transparent connectors allowing for easy observation.
- -Supplied sterile to help prevent cross infection and contamination.
- -Available in a full range of sizes.
- -Entirely free from Phthalates.



Yankauer

Product Features

-Suitable for removal of secretion and body fluids.

-Specially designed flexible kink resistant tube provide unobstructed suction during the prolonged use.

-Ribbed tube is kink resistant and has the strength to withstand the suction.

-Vent port is permanently closed with tight fit sleeve.

-which can be removed with small incision by blade to change over to vent control system



ECG Electrodes Foam

- -The Hi-Trace electrode is an excellent choice for diagnostic
- ECG applications when a snap design is preferred.
- Metal snap design.
- Smaller size & teardrop shape is ideal for resting ECG applications.
- Foam substrate is flexible, comfortable and fluid resistant.



Electro Gel

- -Water Soluble
- -Non-Staining
- -Non-Irritant
- -Non-Toxic
- -Optimum Viscosity
- -Transparent & Odorless
- -Bacteriostatic
- -No Formaldehyde
- -No Salt
- -Safe for Transducer



Electro Pencil

- -Lightweight, streamlined and anti-slip pencil body design
- -Hexagonal socket locks the electrode prevents unwanted turn.
- -Give surgeons the most appropriate accuracy and best sensitivity
- -Non-stick TIPS and stainless steel TIPS



Mucus Extractor

- -For aspiration of secretion from oropharynx to ensure free respiration in newly born babies
- -For aspiration of secretion from oropharynx to ensure free respiration in newly born babies
- -Separate screw top lid for safe sealing and handling of aspirate
- -Soft, frosted & kink resistant DEHP free PVC tubing
- -Also available with thumb control suction catheter
- -Available in following capacity: 25 ml, 40ml, 100ml, 175ml
- -Suction Tube lengths available: 40 & 50 cm
- -Suction Tube sizes: From 6FG to 14FG





Critical Care & Operation Disposables

Product Features

size: 60ml, 100ml, 150ml, 200ml, 250-275ml

flow rate: 1.5ml, 2ml, 3ml....250ml/hr

material: UV pump

flow rate precise: +-10%

IFU: for pain management after-surgical or chemotherapy purpose

Standard: product standard ISO28620, international standard ISO13485, CE

Service: OEM production



Breathing Circuit

Product Features

Smooth Insertion: unique 'dolphin nose' tip facilitates trocar placement

Port Fixation and Security: advanced fixation ribs keep cannula from moving during surgical procedure

Visualization: universal, clear cannula provides visibility to all tissue layers

Ergonomic design: provides control and comfort during laparoscopic procedures

Enhanced seal system: allows for easy instrument exchange

Proprietary ribbed cannula: provides better port fixation and enhanced security

compared to the Applied Kii 12 mm trocar

Unique dolphin nose tip: facilitates smooth insertion for easy trocar placement





Transducer Protector

- -ISO 13485 certified manufacturer.
- -Antibacterial hydrophobic air filter with female luer lock/male luer lock.
- -Choice of media to accommodate sterilization methods.
- -Colored housings available for identification.
- -Custom printed blister packaging available.
- -Housings designed to withstand pneumatic pulsing.



Pica Spike

- Ny tsatökan-drano mitete ho an'ny Microtube
- Tondra-drano ho an'ny microtube 3-4 mm.
- -Loko mainty.
- Ny kalitao avo indrindra, vita tany Italia.
- Package miaraka amin'ny singa 250.



Wei Nasal Jet (WNJ)

Product DESCRIPTION

-Provide effective supraglottic jet pulseoxygensupply and ventilation

Improve oxygen supply and oxygenation. Decrease the rates of hypoxia and

CO2 accumulation in patients with respiratory suppression due to various reasons

Facilitate End tidal carbon dioxide pressure (PetCO2) monitoring



Dual Seal Laryngeal Mask with Gastric Access

- -astric access channel for managing gastric content
- -Stylet shapes anatomical curve, ensuring rapid and easy placement
- -Medical grade silicone allows better biocompatibility
- -Silicone cuff creates anatomical seal of the pharyngeal
- -Disposable laryngeal mask reduces the risk of cross-contamination
- -Pilot balloon shows mask size and provides tactile indication of inflation degree
- -ite block protects airway occlusion





Oropharyngeal Airway

Product Features

- -A single-use oropharyngeal airway.
- -Design incorporates a colour coded bite block for ease of selection of colour coded catheters.
- -Designed to maintain a patent oropharyngeal airway during resuscitation.
- -The smooth finish of the airway reduces the risk of damage to oropharyngeal tissues.

-Bite block reinforcement prevents occlusion of airway in the event of involuntary biting.



Infusion Therapy

- Arterial Blood Collection Syringe
- Auto Disable Syringe
- Disinfecting Cap
- Extension Lines
- Extension Lines with Needle-Free Connectors
- I.V. Infusion Sets
- I.V. Infusion Set with Flow Regulator
- Measured Volume Fluid Administration Set
- Manifolds
- Needle Free Connectors Standalone
- Pre-filled Saline Syringes

Arterial Blood Collection Syringe

- Normal type and safe type available
- Patented safety design
- Anti-tear high-elastic ventilated silicon membrane
- Built-in ventilated plunger
- Preset (recommended) / pumping type available




Disinfecting Cap

- -Alcohol or isopropyl alcohol disinfectant
- Disinfect other medical devices after tighten up
- Keep in sterilization for 96h
- Safe and anti-infection
- High efficiency









Extension Lines

Product Features

- Soft, Frosted and Kink resistant pvc tubing.

Tube length:5-250cm.

ID:3mm

OD:4.1mm

Also available with Y port.



Extension Lines with Needle-Free Connectors

Product Features

- -The internal space is designed without dead space. It can reduce blood and drug sediment.
- Transparent housing material: Polycarbonate or Copolyester.
- Metal-free & compatible with MRI.
- Latex free.
- Multiple insertion at least 100 times a day.
- Priming volume: 0.09ml
- Perfect flowing rate: 350ml/min under one meter water pressure.
- Produced under by GMP.

Infusion set with Needle free connector:

This device is designed to meet the needs of general I.V. Therapy, Anaesthesia Cardiovascular, ICU & CCU, Recovery & Oncology.





I.V. Infusion Sets

Product Features

-Tube Material: Silicone

Usage/Application: Hospital

Size: tandard

Is It Sterilized: Sterilized

I Deal In: New Only

Country of Origin: Made in India





I.V. Infusion Set with Flow Regulator

- -ensures accurate settings
- -easy optimization of the infusion dose
- -flow control independent of the drain
- -accurate flow repeatability for repeated infusions
- -sliding clamp during short infusion breaks
- -lock drain termination
- -with anti-reflux valve
- -drain length: 180 cm





Measured Volume Fluid Administration Set

- -Soft and flexible burette chamber suitable for most of the prescribed fluids.
- -Sharp piercing spike provided with built in air inlet with bacterial barrier filter.
- -Micro drip with reduced drop size of 60 drops/ml.
- -Hanger enables hanging to the I.V stand.
- -Sterile, disposable, non-pyrogenic, individually packed.
- Box of 10/ Master Box of 40.



Needle Free Connectors - Standalone

- -Stand Alone Needle Free Port.
- -Needle free I.V Connector with split septum technology.
- -Luer lock for secure tment on one end and needle free port on the other.
- -Needle free port prevents thrombotic occlusion and inhibits microbial colonization.
- -Stand alone needle free port creates a closed system which controls the infection rate.
- -Sterile, blister pack.
- -Box of 50/ Master Box of 1000.





Pre-filled Saline Syringes

- -Provides all convenient size syringes and volumes
- -DEHP-free, PVC-free and latex-free
- -Sterile, non-pyrogenic and non-toxic
- -Standard closure cap and sterile field configurations
- -Reduced rebound
- -Eliminates needles and vials
- -Eliminates potential for cross-contamination
- -Complies with all PICC and INS standards
- -Compatible with ISO standard needle-free valves
- -Properly licensed, insured, fully FDA cleared and CE marked



Vascular Access

- I.V. Cannula
- Standard I.V. Cannula
- Quick Flash Back
- Passive Safety Mechanism
- Active Safety Mechanism
- Blood Control I.V. Cannula
- Arterial Cannula
- Arterial Catheter
- Central Venous Catheter
- Mini Mid Lines
- Peripherally Inserted Central Catheters
- Peripherally Inserted Venous Catheters
- Safety Introducer Needle
- Safety Winged Infusion Set
- PVC Tubing & Catheter
- Female & Nelaton Catheter
- Drain tube

- Feeding Tube
- Ryles Tube
- Blood Transfusion Set
- I.V. Cannula
- Blue Tips
- Yellow Tips
- Needle Free Connector
- Laryngoscope bulb
- Halogen bulb24V/150 Watt
- Two Way Connector
- Suction catheter (cap-cone)
- Infusion Set
- Extension Set
- Three Way stopcock
- Foley Balloon catheter (Silicon Coated)
- Nelaton catheter
- Butterfly needle

I.V. Cannula

- -Back cut needle bevel for easier insertion with minimal trauma
- -Thin wall FEP catheter with three embedded radiopaque lines provides high flow rate
- Flexible and kink resistant catheter is double tapered with a rounded tip
- for smooth introduction and minimal discomfort to the patient
- -Injection port option with one way valve and colour coded cap for intermittent
- and safe administration of drugs during infusion
- -Flexible wings provide a good grip for easy insertion, secure fixation and also
- prevent skin contact with luer lock connection
- -Highly transparent flashback chamber for instant blood backflow indicating vessel entry
- -Blood stopper Color coded
- -Luer lock cap for closing the proximal end of the catheter after needle removal





Standard I.V. Cannula

- -With universal luer fitting
- -Ultra-sharp, three-beveled siliconized needle to minimize patient discomfort during injection
- -Not made with latex, DEHP or PVC
- -Available sterilization methods: EtO and Gamma sterilization
- -Available in 14-24 G
- -Available with or without wings, with or without injection port





Blood Control I.V. Cannula

Product Features

-Passive Safety Shield: reduces needlestick injuries

-Stabilization Platform: improves catheter stability and minimizes movement in vessel

-Multi-Access Septum: controls flow of blood, reducing cleanup time

-Universal Bevel: provides a wide choice of insertion angles for accessing difficult veins

-Double Flashback Technology: improves first stick success

-Suitable for use in CT up to 300 psi (24G - 18G)

-Available sizes 24G - 14G

-Catheter Material: Polyurethane (PUR)

-Latex-free, PVC-free, DEHP-free



Arterial Cannula

Product DESCRIPTION

-Suitable for arterial pressure monitoring and serial arterial blood gas determinations

-Sharp atraumatic needle bevel helps the procedure with minimal patient discomfort

-Specially designed ON-OFF switch prevents backflow and exposure of blod to healthcare

professional and provide safety from Air Embolism and contamination

-Needle safety guard automatically covers the needle's sharp bevel after withdrawal of needle from

the hub, minimizing the risk of Needle Stick Injury

-Available with FEP/PUR catheter

-Sizes: 20G & 22G



Central Venous Catheter

Product Features

-Central Venous Catheter made of specially formulated and bio-compatible Polyurethane material provides strength during insertion.

-Polyurethane softens at body temperature, conforms to the body tissues and reduces the risk of vascular trauma.

-Specially designed soft tip for smooth & easy insertion of catheter.

Soft Flexible J-Tip Guidewire prevents the vessel perforation and also provides

-good torque to ensure firm insertion.

-Radio-opaque material of catheter with clear, definite marking facilitates correct placement of catheter tip.`



Mini Mid Lines

Product Features

-AManufactured from specially formulated and biocompatible radiopaque PUR material, with the correct resistance strength

Catheter is equipped with fixation wings

Standard set consists of: Mini-Mid-Line catheter, introducer needle, Nitinol Straight Point guidewire (OD 0.018), fixation device, IV plaster and underlay

In addition, the set can be equipped with various options: Probe Cover, ultrasound gel, or a needle-free connector.

Compatible with Power injectors up to 325-330 PSI





Safety Introducer Needle

- Transparent hub housing designed to allow visualization of flashback
- -Funneled hub designed for smooth guidewire introduction
- -Arrow symbol and flange on clip housing indicate bevel orientation for ease of use by clinician
- -Sharp, lubricated needle tip facilitates smooth access and minimal resistance during insertion
- -Echogenic needle tip facilitates location of the needle via ultrasound
- -Compact, low profile design
- -Not manufactured with PVC, DEHP, or Latex
- -CE Marked





PVC Tubing & Catheter

- -Material: Made of medical grade non-toxic PVC;
- Specification: Fr4, Fr6, Fr8, Fr10 Fr12, Fr14, Fr16, Fr18, Fr20; F22
- EO gas sterilized;
- -Surface treatment: with transparent tube and frosted tube;
- Type connector: Color-code connector for identification of different sizes, with connectors of airplane type, finger control type and funnel type;
- Length: 50cm;
- Package: PE bag or Paper-poly pouch
- Perfectly smooth side eyes and opened distal end for less hurt to esophageal mucosa;





Extension Lines

- Nelaton catheters are used for short term bladder catheterisation.
- -Manufactured from non-toxic, non-irritant medical grade PVC compatible with catheter lubricants.
- -Frozen surface tubing for super smooth intubation.
- -Distal end is coned for non traumatic introduction with two lateral eyes for efficient drainage.
- -Proximal end is fitted with universal funnel shaped connector for extension.
- -Funnel shape connectors are colour coded for instant identification of sizes.
- -Available in Male? Male Tiemann tip, Female and smal-size Pediatric versions.



Drain tube

Product Features

-Made of medical grade PU, the tube is soft and clear, with high corrosion resistance.

-2.X-ray opaque line through the whole tube.

-3.Clear depth marks on the tube.

-Nurse can easily indentify different size catheter with different color connectors.




Needle Free Connector

- -Needle-Free Connectors
- -Set Length 2.7 cm
- -Priming Volume 0.05 ml
- -Lipid Resistant
- -Natural rubber latex is not part of the material formulation
- -DEHP is not part of the material formulation
- -PVC is not part of the material formulation



Butterfly needle

- -Butterfly safety needle w/ Luer Adapter 21G
- -0.75" (19 mm) Needle
- -12" (178 mm) Tubing



PVC Tubing and Catheter

- Female & Nelaton Catheter
- Drain tube.
- Feeding Tube
- Ryles Tube
- Blood Transfusion Set
- I.V. Cannula
- Blue Tips
- Yellow Tips
- Halogen bulb24V/150 Watt
- Two Way Connector
- Suction catheter (cap-cone)
- Infusion Set
- Three Way stopcock
- **■** Foley catheter (silicone)
- **Foley Balloon catheter (Silicon Coated)**
- Nelaton catheter
- Butterfly needle

Drain tube.

- -Smooth Perforations are heat polished for easy, painless removal.
- -Cross Perforation for effective exudate removal.
- -Atraumatic Smooth Eyes for efficient drainage.
- -Barium impregnated for X-ray detection of drain.
- -Implanted Segment is x-ray opaque effective also.
- -Indicator Dots make drain placement quick and easy.
- -Rigid Structure offers great kink-resistance character.
- -Transparent allows an easy visual inspection of the tube.
- -One-piece Design eliminates the possibility of breakage or separation upon removal (PVC Tubing only).
- -Latex-free
- -Sterile, for single-use only



Feeding Tube

Product Features

-For neonatal and paedlatrlc nutritional feeding.

Super smooth kink resistance tubing ensures uniform flowrate.

Atraumatic, soft rounded, closed tip with two lateral eyes for efficient aspiration & administration.

Proximal end is fitted with female luer mount for easy connection to feeding funnel or syringe.

Color coded connectors for easy identification of size as per standards.

Tube is marked at 20cm away from the distal tip.


X-Ray opaque line provided through out the length of Tube.

Available with graduation mark after every cm.

Available with DEHP Free Material.

Tube Length: 52cm.

Sterile / Disposable / Individual Packed.



Syringe and Needle

- Disposable Needle
- Disposable Syringe
- AD Syringe
- Oral Syringe
- Safety Needle
- Hypodermic needle
- Pre-filled flush syringe
- Dental needle
- Spinal needle
- Disposable Scalpe
- Veterinary Needle
- Adjustable micropipette
- sterile syringe
- Insulin syringe

Disposable Needle

- -Ultra-sharp, three-beveled siliconized needle to minimize patient discomfort during injection
- -Wide range of needle size and length
- -Color coded hub conforms to ISO 6009
- -Not made latex or PVC



Quick Flash Back

Product Features

-0.5 mL, 1 mL, 3 mL, 5 mL, 10 mL, and 20 mL

Available with short and long tips

Medical grade PE and clarified PP construction – silicone and latex free

Stock printed syringes feature simplified upright calibration markings

PCD (Patient Care Dispenser) syringes feature inverted finer calibration markings

100% visual inspection of calibration lines to ensure accuracy

Pressure testing during assembly to ensure functionality



Dental needle

Product Features

-Tri-bevel point for easy tissue penetration without coring
Round cutting edge protecting the gum
Silicone coating substantially reduces pain and tissue trauma
Special heat treatment of pipes makes Denject super-elastic





Disposable Scalpel

Product DESCRIPTION

- -Manufactured from AISI 420 Premium Quality stainless steel.
- -Ideal tool to easily remove of peach fuzz, Facial Hair and Gentle Exfoliation of Dead Skin Layer.
- -Our Disposable Scalpels work amazingly for Dermaplaning or small aesthetic procedures such as callus removing, dead skin-skin tag removal and scraping, acne removal and more.
- -These are Ideal Beauty tools to IMPROVE The APPEARANCE OF SKIN.
- -The handle is designed to offer a good grip and allows for delicate control when required. Plus, on the side you will find a handy, 6cm ruler for extra practicality points
- -Our scalpel knives come with protective blade caps so you can reuse them again if you wish.
- A great tool for any project that does not require disposing of the scalpel upon completion.
- -They offer smooth maneuvering, giving you more control for precise operation.
- -Rigid Quality Control.



Adjustable micropipette

- -Fully adjustable
- -Digital dial
- -Tip ejector
- -Ergonomic design
- -Accurate and durable
- -Accommodate standard micropipette tips
- Calibration tool included



Transfusion System

- ACD Bag
- Blood Bag Systems
- Blood Bag with Safety Device & Sampling Bag
- CPD-SAGM-TOTM Bag System
- Blood Bag with In-Line RBC Filter
- Top & Bottom Extraction Bag System
- **■** Blood Administration Sets
- Transfusion Pump Set

ACD Bag

- -Siliconised ultra thin walled, 16G, sharp Japanese needle assures smooth and atraumatic venipuncture
- -Soft, frosted and flexible kink resistant tubing with unique identification number at intervals of 10 cm
- -Tamper proof, safe and easy to open port covers to prevent contamination
- -Manufactured from high quality medical grade PVC sheet
- -Rounded shape of bag minimizes loss of blood components during transfer & transfusion
- -Tamper evident label
- -Individually packed in special multi layer pouch and multiples packed in moisture barrier aluminum pouch
- -Convenient hanger slits and holes allow easy suspension of the bags during collection & storage
- -Anticoagulant CPDA solution preserves whole blood up to 35 days
- -CPD SAGM solution preserves RBC upto 42 days.





Blood Bag Systems



Product Features

- -Top and bottom blood bags are 350 / 450 / 500 ml in size and contain 49 / 63 / 70 ml of CPD anticoagulant solution and 78 / 100 / 111 ml of SAG-M as a preservative solution
- -Slits are given on both sides of the sterile, non-pyrogenic, non-toxic, non-hemolytic material bag to accept a 5-10 ml test tube and at the bottom of the bag to hang the blood bag during transfusion
- -Collapsible, non-vented, sterile PVC container that has been DEHP plasticized, along with a collection tube in a closed system
- -The inner bag preserves sterility and eliminates contamination and air embolism risks while being leak-proof
- -Flexible, non-stick, clear, leak-proof tubes with various printed ID/segment numbers are also available
- -The external port is easily accessible and tamper-proof & includes a label with a clear adhesive that is affixed between room temperature and -80

C using hot melt technology



Transfusion Pump Set

Product Features

- The soft kink resistance, translucent tubing is prepared from medical treated PVC material.

The double drip clearly visible chamber facilitates visual access and rapid adjustment of fluid level.

Specially designed roller (thumb) controller offer accurate regulation of infusion rate.



Blood and In vitro diagnostics (IVD)

- Plain Tube Red
- Clot Activator Tube red.
- EDTA K2/ K3 Tube
- EDTA K3/EDTA K2 Tube
- Non-Vacuum Blood Collection Tube
- Clot Activator Blood Collection Tube
- Gel + Clot Activator Tube
- Clot Activator Tube
- Plain Tube (No Additive Tube)
- Sodium Heparin Tube/ Lithium Heparin Tube
- PT Tube/Sodium Citrate 9NC Tube/3.2% Sodium Citrate Tube
- SR Tube/Sodium Citrate 4NC Tube /3,8% Sodium Citrate Tube
- Glucose Tube/ Sodium Fluoride & EDTA Tube Sodium Fluoride & Potassium Oxalate
- ESR Tube/Sodium Citrate 4NC Tube /3.8% Sodium Citrate Tube

Plain Tube Red

Product Features

-Size: 13 x 75 mm, 2 ml

-Storage temperature: 4-25 °C

-Shelf life: 2 years

-The tube is made of PET

-The lid is a red PP cap with rubber membrane

-Vacuum tube





EDTA K3/EDTA K2 Tube

Product Features

- Cap Color: Lavender
- Intended Use: Clinical Hematology & Blood Banking
- Additive: K2/K3 EDTA 1.7 mg/ml A 10%
- Effect: Prevents Blood Coagulation, Maintains Blood Cell Integrity
- Ideal for: Whole Blood Collection
- After Collection: Gently invert the tube 6 8 times. Perform immediately after drawing blood.
- Vacuum Tolerance: A 10%

EDTA K2/K3 Tube

- EDTA K2 Tube For venous blood collection
- -Tubes are supplied in packs of 100 pieces
- Made out of virtually unbreakable PET plastic
- Improved safety and hygiene during specimen collection procedures with the advantage of being as clear as glass
- Primarily in hematology
- K2EDTA Blood Collection Tubes with Gel Separator and K3EDTA Blood Collection Tubes are available
- Pink caps for immunohematology are also available
- Volume 2ml



Non-Vacuum Blood Collection Tube

Product Features

- KS Non-Vacuum Blood Collection Tube is made from medical grade PP material, consist of coloured caps, PP tubes and various additives.
- Additives options: Plain, EDTA, Serum, SST, Heparin, PT, ESR, Glucose.
- Compare to the vacuum tube, it offers an affordable solution for blood collecting and testing in clinics and hospitals.
- Features: economic cost; simple operation; leakproof; efficient additives.





Clot Activator Blood Collection Tube

- Separate gel & clot activator tube aims to obtain high quality serum specimen for biochemistry, immunology and serology tests in clinical inspection.
- Tube contain a separation gel in the base of the tube, during centrifugation, this gel forms a stablebarrier between the serum and the blood cells.
- In the primary tube and under recommended laboratory conditions, certain parameters remain stable for up to 48 hours.





EDTA K3/EDTA K2 Tube

Product Features

- Cap Color: Lavender
- Intended Use: Clinical Hematology & Blood Banking
- Additive: K2/K3 EDTA 1.7 mg/ml A 10%
- Effect: Prevents Blood Coagulation, Maintains Blood Cell Integrity
- Ideal for: Whole Blood Collection
- After Collection: Gently invert the tube 6 8 times. Perform immediately after drawing blood.
- Vacuum Tolerance: A 10%

Gel + Clot Activator Tube

- EDTA K2 Tube For venous blood collection
- -Tubes are supplied in packs of 100 pieces
- Made out of virtually unbreakable PET plastic
- Improved safety and hygiene during specimen collection procedures with the advantage of being as clear as glass
- Primarily in hematology
- K2EDTA Blood Collection Tubes with Gel Separator and K3EDTA Blood Collection Tubes are available
- Pink caps for immunohematology are also available
- Volume 2ml



Sodium Heparin Tube/ Lithium Heparin Tube



Product Features

- Plastic

Green Hemogard™ Closure

Sterile

Paper Label

Additive/Concentration: Lithium Heparin 95 USP Units

Tube Size: 13 mm x 100 mm

Draw Volume: 6 ml

PT Tube/Sodium Citrate 9NC Tube/3.2% Sodium Citrate Tube

- Accurate vacuum draw volume, blood is drawn directly from the vein into the vacuum sterile collection tubes.
- Only one vein-puncture is needed to draw multiple blood samples while needle and plastic holder remain in place on patient's arm.
- Blue cap and clear label for specific identification
- Excellent performance additive
- Shelf time 12 months for PET, 24 months for glass
- Reducing risk of tube breakage during operation.
- Reducing risk of breakage during centrifugation at high speed.
- Eiminating breakage or chippings of tube rims when stopper is removed and reinserted.



SR Tube/Sodium Citrate 4NC Tube /3,8% Sodium Citrate Tube



Product Features

- Accurate vacuum draw volume; Excellent performance additive;
- Shelf time 12 months for PET, 24 months for glass;
- The tube wall is specially treated to prevent wall hanging and hemolysis;
- 100,000-class purification workshop to ensure the stability of blood samples and improve the accuracy of clinical test results .

ESR Tube/Sodium Citrate 4NC Tube /3.8% Sodium Citrate Tube

- Volume representation on the label
- Accurate measurement
- Clear tube for easy viewing





Drainage and Urology

- Thoracic Trocar & Cannula
- Underwater Drainage Bottle Set
- Blood Bag
- Priming Bag
- Urine Bag
- Urine Meter
- Urinal
- Uri drops
- Disposable Urine Cup
- Urine Bag Hanger
- Pediatric urine collector
- Foley Catheter
- Latex Foley Catheter
- All Silicone Foley Catheter
- All Silicone Foley Catheter with Integrated Balloon
- Nelaton Catheter
- Hydrophilic Series

- ConviCath Intermittent Catheter
- Male External Catheter
- Special Catheters
- Urine Collection
- Foley Balloon Catheters
- Irrigation Sets
- Urine Collection Bags
- Urine Drainage Catheters
- Thoracic Trocar & Cannula
- Underwater Drainage Bottle Set
- Leg Bag
- Catheterization Pack
- Combo Plus Foley Tray
- Prefilled Syringe

Thoracic Trocar & Cannula



Product Features

- Provided with sharp trocar needle for easy insertion.
- Intended to be Use for drainage without operative procedures.
- Made of sharp trocar and medical grade non-toxic PVC tube.
- Rounded and smoothly finished two large lateral eyes for efficient drainage
- Graduated at 2 cm intervals to ascertain accurate depth.
- Proximal end provided with tapered connector for easy connection to drainage container
- Sterile, Non-Pyrogenic, Single use

Underwater Drainage Bottle Set

- Suitable for pleural drainage in conjunction with chest drainage catheters in cardio-thoracic procedures
- Polyseal adult is a double chamber compact unit having capacity of 2000 ml
- Clearly marked initial water level to ensure under water seal
- Clear easy to read graduations marked on bottle to determine the amount of collection
- Writing facility on the side of scale helps in monitoring of drain volume
- Kink resistant large bore tubing facilities unrestricted flow
- Metallic hangers for easy attachment with bed and floor stand for easy standalone working
- Separate suction port is provided to connect with suction unit







Product Features

- Compatible with our Pitcher Replacement Filters
- Does not include filter

Urine Bag

- Urine bags come in various sizes, including small leg bags for mobility and larger drainage bags for hospital beds, accommodating different levels of urine output.
- -They are typically made of sterile and biocompatible materials to ensure safety and minimize the risk of infection.
- -Urine bags can be easily and securely attached to a urinary catheter or drainage tube, preventing leaks and ensuring a reliable connection.
- -Many urine bags are equipped with an anti-reflux valve that prevents urine from flowing back into the catheter, reducing the risk of infection and maintaining urine flow in one direction.





Urine Meter

Product Features

2000ml drainage bag-

200ml Urine meter-

Anti-splash drain valve-

Bidirectional needleless luerlock sample port-

Double hook hanger for bed attachment-

Rope for hanging-

59" (150cm) tubing-

5 in 1 connector-

Urine Bag

- Urine specimen cups capacity: 40ML
- 400 Pack disposable test paper dedicated urine cups, which is designed to hold your urine specimen perfectly, no overflow and no leakage, the stackable design makes storage easier.
- Urine collection cups with handle is easy to grip and hold, clean and convenient to use. These urine cups are super durable to prevent cracks to keep your test safer.
- The urine collection cups are made of top grade plastic to reduce interference with urine specimen to zero, disposable and safe to use, not easy to break.
- The plastic urine collection cups great for pregnancy test, ovulation test, pH test and any other medical urine tests.





Urine Meter



Product Features

The adhesive sticks well to the skin

Non-return design to minimize the risk of infection

Suitable for both male and female infants

Provided with special adhesive for better grip and easy removal from soft baby skin

Adhesive is hypo-allergenic and non-irritant

Visible graduation marks designed for ease of use

Hydrophilic Series

- Universal chemical compatibility, especially for good oxidation resistance.
- Compatible with a wide range of solvents, acids and chemicals.
- Withstand high temperature stem sterilization or oxidizer sterilization.
- Better hydrophobicity, 100% bacterial retention and effective filtration of particles in gas filtration.
- No adhesives and droppings, clean and stable, suitable for pharmaceutical industry.





ConviCath Intermittent Catheter

Product Features

Single Use

Sterile

Female 12fg, 9cm

Male 12/18fg, 30cm

Sold in box of 20 Catheters.

Male External Catheter

Product Features

- Penile Sheath/External Catheter.

Male Cath is specially designed for urine incontinence for day and night use in male patients.

Manufactured from 100% latex for soft and gentle feel.

Provided with soft adhesive coated strip for proper fixing on the penis.

Proximal end is designed for safe and easy connection to urine bag/leg bag.

Sizes in mm: 20, 25, 30, 35 mm

Sterile, individually packed in soft blister pack.

Sizes in mm: 20, 25, 30, 35 mm





Urine Collection

Product Features

Sterile cup with screw-cap

Integrated Transfer Device


8.0 mL, 16 x 100 mm Plus Plastic Conical Tube with preservative for urinalysis

4.0 mL, 13 x 75 mm Plus Plastic C&S preservative tube

Castile soap towelettes

Foley Balloon Catheters

- Reference: GS-1026 (Foley Trac)
- Non-toxic, Sterile, Single Use
- Foley catheter used for short or long term urine drainage.
- Made up of latex bonded with silicone elastomer which eliminates the risk of encrustation .
- Coned distal end provided with burr free eyes for a traumatic intubation.
- Hard valve ensures easy inflation and deflation of balloon.
- Color coded valve for instant size identification.
- Sterile and individually packed in peelable, soft blister pack.
- Balloon capacity: 5ml, 5-15ml, 30ml, 30-50ml (acc. to size)







Urine Drainage Catheters

Product Features

- Urethral catheter suitable for male or female catheterization is used across the spectrum of healthcare for all patient types
- High-quality construction ensures consistent use and patient comfort
- Smooth tip and funnel end
- Two large opposing eyes for optimal drainage
- Contains natural rubber latex

Irrigation Sets

Product Features

With drip chamber, regulating clamp, catheter adapter and non-latex tubing-

For irrigation, set plugs directly into a 3-way catheter,

or catheter adapter unit when 2-way catheter is used-

Contains DEHP-

Sterilization method: Radiation - Gamma-





Catheterization Pack

Product Features

- Latex-free.
- Cost and time effective option.
- Easy to use and facilitates best practice.
- Twin pack system to prevent wastage.

Leg Bag

Product Features

Sterile-

Provides quality, reliability, and dependability-

Comes with 1 pair latex straps-

Lightweight-

Rubber cap valve-



Urinary Surgery

- Ureteral Stent
- Guide Wire
- Endoscop
- ClearPetra®
- Ureteral Access Sheath
- Dilation
- Stone Retrieval Basket
- Ureteral Catheter
- Dilation and Drainage Set
- Nephrostomy Introduction Puncture Needle
- Suprapubic Catheter Set
- Self-Retaining Urinary Catheter
- Urodynamic Catheter
- Laparoscopic Retrieval Bag
- Ureteral Stent
- Guide Wire
- ClearPetra

- Ureteral Access Sheath
- Dilation
- Stone Retrieval Basket
- Ureteral catheter
- Dilation and Drainage Set
- Nephrostomy induction Puncture
- Laparoscopic Retrieval bag
- Suprapubic Catheter Set

Ureteral Stent



Guide Wire

Product Features

- Soft Flexible J-Tip Guide wire prevents the vessel perforation.
- Provides good torque to ensure firm insertion
- Sterile, disposable, non-pyrogenic, individually packed.

- -Biocompatibility tested for indwelling up to 30 Days.
- Polyurethane based stent has uniform diameter and smooth surface reducing encrustation.
- Radiopaque for better visualization
- Stent with string which helps in repositioning
- Types: Both Ends Open
- One End Closed
- Both Ends Multiloop
- With or Without Hydrophilic coating Standard
- Size (in Fr): 4.7, 4.8, 5, 6, 7 & 8



Endoscope



ClearPetra

Product Features

- Reduces Intra-luminal Pressure
- No More Stone Retropulsion
- Improved Visual Field
- Improved Stone Clearance
- No Accessory Device Required

Product Features

Features: Digital, Analog, Portable

Depth Of Field: 50mm


Diameter Of Insertion Tube: 5.7mm

Diameter Of Working Channel: 2.0mm

Working Length: 450mm

Field Of View: 100 Degree





Ureteral Catheter

Product Features

- atraumatic eye, length 70 cm
- overall radiopaque
- graduated
- polyurethane
- steel stylet
- product and packing PVC-free
- contrast medium adapter
- high gliding ability

Stone Retrieval Basket

- High-quality Dormia Basket Urology Instruments for reliable stone removal
- Flexible wires conform to the obstruction for a secure grip
- Designed for safe and efficient urological procedures
- Made with durable materials for long-lasting performance
- Precise control for minimal tissue trauma
- Available in a variety of sizes to suit patient needs
- Ideal for removing kidney stones and urinary tract obstructions
- Easy to use and manipulate during procedures
- Provides effective results with minimal risk of complications
- Suitable for use in a variety of urological procedures



Suprapubic Catheter Set

Product Features

- Long handle scalpel
- Smooth color coded shape dilator from CH10 to CH16 allowing choosing the size which best fits the patient
- Silicone catheter with integrated low profile balloon
- For easier removal with reduced risk of cuffing.3)
- For easier insertion at catheter replacement (no ridge).
- Can be replaced repeatedly as appropriate over long periods of time4)
- Seldinger guide wire with flexible tip
- 18g (1,3mm) puncture needle of 12cm length that is much thinner than most SPC trocars and cannulas (which can be up to 8mm).





Urodynamic Catheter

- The 1400mm long red-tinted Ch4.5 pressure line enables direct connection with the pressure dome, and connects to the 2-channel section via a Cathfix® connector.
- Length: 200cm
- Tip: Balloon
- -Material: PVC (Latex Free)




Ureteral Access Sheath

Product Features

- -Kink resistant reinforced with a stainless steel coil designed to provide stability and strength through tortuous anatomy
- Tapered tip dilator with hydrophilic coating provides easy access
- Transparent tip with platinum ring helps in better visualization and placement of sheath under fluoroscopy
- Sizes available for all types of flexible scopes (Storz, Wolf & Single use flexible scopes)
- Seamless transition between dilator and sheath for easy and atraumatic insertion





Dilation

- three distinct diameters at three separate pressures
- X-ray markings
- conical shaped catheter tip
- very rapid expansion

Dilation and Drainage Set

Product Features

- Used for progressive dilatation of nephrostomy tract before percutaneous kidney stone removal.
- Short tapered tips.
- A smooth surface reduces the patient's trauma.
- P.C.N Dilators are used for the dilatation of percutaneous tracks over the guide wire.
- Made up of Teflon material.
- Fully radiopaque.
- Comes with a luer lock adaptor with a marked size.
- Accepts 0.038 guide wire.



- Ergonomic handle, for maximum operating comfort
- Large opening, for easily catch the specimen
- Matt shaft, prevent the glare interference of the cold light source
- Intuitive design, clear user instructions with bag facing lock
- Coarse drawing tether, provides maximum operating comfort





Diagnostics

- Blood Collection Tubes
- Safety Blood Collection Set
- Standard Needle Holder
- Blood Collection Needle

Suprapubic Catheter Set

Product Features

- Ultra-sharp, triple bevel needle tip
- Flexible tubing designed to ensure the needle stays as still as possible in the vein
- PRF 23G Blood Collection Set & Holder
- Sterile, Individually packed
- 30 × Blood Collection
- 2-3G x 3/4"
- 12" (30cm) tube length
- Not made with natural rubber latex or DEHP





Standard Needle Holder

- Serrated Jaws To Ensure Firm Clamps.
- Cutting Blades Proximal To The Jaws To Complete Suturing Functions.
- Stable Ratchet With A Swift Release Function.
- -Stainless Steel & Tungsten Carbide Jaws Are Both Available To Suit Versatile Indications.



Gastroenterology

- Stomach Tube
- TPU Stomach Tube with Guidewire
- Feeding Tube
- Gastrostomy Feeding Tube
- Central Venous Catheter (CVC)
- Suction Toothbrush for Oral Hygiene
- Enteral Connector
- Infant Feeding Tube
- Levin's Tube
- Ryle's Tube

Stomach Tube

Product Features

- good biocompatibility, little stimulation to the body and strong acid resistance;
- The humanized protective cap design can prevent the food reflux caused by gastrointestinal contraction under the pressure stimulation of coughing, sputum suction, turning over and back slapping;
- Wire guide for easy placement;
- The tube body contains blue lines, which can display the position of the tube body under X-ray;
- The retention time is up to 30 days to avoid mechanical damage caused by repeated tube changes.





TPU Stomach Tube with Guidewire

- Made of medical grade PU, the tube is soft and clear, with high corrosion resistance.
- X-ray opaque line through the whole tube.
- Clear depth marks on the tube.
- Nurse can easily indentify different size catheter with different color connectors.

Central Venous Catheter (CVC)

Product Features


- -Superb material with best biological compatibilities
- Less intimal damage, irritation and reduces perforation risk
- Fewer risks in puncture
- More efficient placements
- More accurate placements





Suction Toothbrush for Oral Hygiene

- Safe, soft, sterile and unflavored oral swabs, using for the daily oral care and household supplies, electronic industry. For example, adult oral care and child oral care and in some cases for the pet oral care.
- teeth shaped, good touch feeling. PU Sponge (foam head) + shaft +mouth
- Gently clean, moisten and refresh mouth, teeth and gums due to dental supplies, teeth sensitivity or disease, achieveing the effect of the protection and cleaning of the oral care.
- Combine with suction machine, Moisten the foam tip with water or mouthwash, then gently rub the swabs across each the tooth surface and raise foam ridges effectively remove some food debris
- Keep it in a dry place and avoid sunlight. Remember it is disposable product for your daily use.



Quality Certification





















Our valued Clients

















































































OUR OFFICES AND BUSINESS AREAS IN DHAKA



OUR OFFICES AND BUSINESS AREAS IN BANGLADESH



Corporate Office: Forum, 187, 188/8 Bir Uttam Mir Shawkat Sarak, Tejgaon, Dhaka 1215 Corporate Sales: 34 Topkhana Road, Paltan, Dhaka 1000 Factory: 1105/1, Pomorico Industrial Park Road, Mouthak, Kaliakair, Gazipur 1750, Bangladesh Hotline: +880 9644 223344, Tell: +8802223356469 I Emall: info@gromixcoltd.com



WE ARE HERE

www.promixcogroup.com

OUR GLOBAL OFFICES AND BUSINESS AREAS





PROMIXCO GROUP

Business Ne



BRANDS



CSR







Head Quater

United States Office

Bangladesh Office

Bangladesh Office

Industrial Park

Mouchak, Kaliakair, Gazipur 1750, Bangladesh









